

Metal Products Company

(541) 747-6435 ~ 1 (800) 345-2069 ~ Fax: (541) 747-6641
1652 N. 32nd ~ P.O. Box 703 ~ Springfield, Oregon 97477

www.metalproducts.com



Electrical Products

Metal Products Company has been in the business of manufacturing protection and strapping for the construction industry for over 25 years. We offer a wide variety of protection and strapping products to supply your project. Many of our protection products are required by building codes through out the country, and while building codes may vary from state to state, we pride ourselves on offering as many products as possible to comply with building codes around the country.

We pride ourselves on being an American manufacturer, and because of this, we use all domestically bought steel. All of our products are proudly made in the USA.

Index

| Product: | Page(s) #: | Product: | Page(s) #: |
|--|-------------------|----------------------|-------------------|
| Safety Plates | 2 | One Hole Pipe Straps | 8 |
| Interlocking Safety Plates | 3 | U-Bolts | 9 |
| Self-Nailing FHA Plates/Stud Guards | 3 | Mast Guy Kits | 9 |
| Safety Sleeves | 4 | Flex Collars | 9 |
| Boca Plates | 4 | Plate Insulators | 10 |
| Plate Straps | 5 | Spool Racks | 10 |
| Plumbers Tape | 6 | Clamp-on Insulators | 11 |
| J-Hooks | 6 | Clevis Insulators | 11 |
| Two Hole Pipe Straps | 7 | Ceiling Cover Plate | 12 |

For More Information, Call 1-800-345-2069

Metal Products Company

(541) 747-6435 ~ 1 (800) 345-2069 ~ Fax: (541) 747-6641

1652 N. 32nd ~ P.O. Box 703 ~ Springfield, Oregon 97477

www.metalproducts.com




Wire and Pipe Protection

Safety Plates

Also known as Stud Guards, and Nail Plates.

| Catalog # | Description | Gauge | Case quantity | Case Wt. |
|---|-------------|-------|---------------|----------|
| 14 Gauge Heavy Duty Plates | | | | |
| SP314500 | 1-1/2" X 3" | 14 | 500 | 42 |
| SP514100 | 1-1/2" X 5" | 14 | 100 | 13 |
| SP514100-3 | 3" X 5" | 14 | 100 | 60 |
| 16 Gauge | | | | |
| <i>The 16 GA steel used on all safety plates conforms with electrical & plumbing standards.</i> | | | | |
| SP316100 | 1-1/2" X 3" | 16 | 100 | 7 |
| SP316500 | 1-1/2" X 3" | 16 | 500 | 35 |
| SP416100 | 1-1/2" X 4" | 16 | 100 | 10 |
| SP516100 | 1-1/2" X 5" | 16 | 100 | 11 |
| SP516250 | 1-1/2" X 5" | 16 | 250 | 27 |
| SP16100 | 1-1/2" X 6" | 16 | 100 | 14 |
| SP516100-2 | 2" X 5" | 16 | 100 | 15 |
| SP516100-3 | 3" X 5" | 16 | 100 | 23 |
| SP516100-3 | 3" X 6" | 16 | 100 | 28 |
| 18 Gauge | | | | |
| SP318100 | 1-1/2" X 3" | 18 | 100 | 4 |
| SP518100 | 1-1/2" X 5" | 18 | 100 | 8 |
| SP618100 | 1-1/2" X 6" | 18 | 100 | 10 |
| SP518100-2 | 2" X 5" | 18 | 100 | 9 |
| SP518100-3 | 3" X 5" | 18 | 100 | 13 |
| 20 Gauge | | | | |
| SP320100 | 1-1/2" X 3" | 20 | 100 | 4 |
| SP520100 | 1-1/2" X 5" | 20 | 100 | 7 |
| SP620100 | 1-1/2" X 6" | 20 | 100 | 8 |
| SP520100-2 | 2" X 5" | 20 | 100 | 8 |
| SP520100-3 | 3" X 5" | 20 | 100 | 13 |



For More Information, Call 1-800-345-2069

Metal Products Company

(541) 747-6435 ~ 1 (800) 345-2069 ~ Fax: (541) 747-6641

1652 N. 32nd ~ P.O. Box 703 ~ Springfield, Oregon 97477

www.metalproducts.com



Wire and Pipe Protection, cont.

Interlocking Safety Plates

| Catalog # | Description | Gauge | Case Qty. | Case Wt. |
|-------------|-------------|-------|-----------|----------|
| SP16100-IL | 1-1/2" X 6" | 16 | 100 | 14 |
| SP618100-IL | 1-1/2" X 6" | 18 | 100 | 10 |
| SP620100-IL | 1-1/2" X 6" | 20 | 100 | 8 |



Stud Guards/Self-Nailing FHA Plates

| Catalog # | Description | Gauge | Case Qty. | Case Wt. |
|-----------------|--------------|-------|-----------|----------|
| 16 Gauge | | | | |
| SP0916 | 1-1/2" X 9" | 16 | 100 | 21 |
| SP1216 | 1-1/2" X 12" | 16 | 100 | 27 |
| SP1816 | 1-1/2" X 18" | 16 | 100 | 42 |
| SP2416 | 1-1/2" X 24" | 16 | 100 | 54 |
| 18 Gauge | | | | |
| SP0918 | 1-1/2" X 9" | 18 | 100 | 16 |
| SP1218 | 1-1/2" X 12" | 18 | 100 | 21 |
| SP1818 | 1-1/2" X 18" | 18 | 100 | 32 |
| SP2418 | 1-1/2" X 24" | 18 | 100 | 42 |
| 20 Gauge | | | | |
| SP0920 | 1-1/2" X 9" | 20 | 100 | 15 |
| SP1220 | 1-1/2" X 12" | 20 | 100 | 19 |
| SP1820 | 1-1/2" X 18" | 20 | 100 | 28 |
| SP2420 | 1-1/2" X 24" | 20 | 100 | 37 |



For More Information, Call 1-800-345-2069

Metal Products Company

(541) 747-6435 ~ 1 (800) 345-2069 ~ Fax: (541) 747-6641

1652 N. 32nd ~ P.O. Box 703 ~ Springfield, Oregon 97477

www.metalproducts.com



Wire and Pipe Protection, cont.


Safety Sleeves

| Catalog # | Description | Gauge | Case Qty. | Case Wt. |
|-----------|----------------|-------|-----------|----------|
| SS-15 | 1-1/2" | 16 | 1,000 | 53 |
| SS-30 | 3" | 16 | 500 | 56 |
| SS-35 | 3-1/2" | 16 | 500 | 68 |
| SST-15 | 1-1/2" Tapered | 16 | 1,000 | 57 |
| SST35 | 3-1/2" Tapered | 16 | 500 | 68 |



Boca Plates Many sizes available, contact factory.

| Catalog # | Description | Gauge | Case Qty. | Case Wt. |
|------------------------|-------------------------|-------|-----------|----------|
| PS0616-3.5-1 HOLE | 3-1/2" X 6" | 16 | 50 | 18 |
| PS0616-3.5-SN | 3-1/2" X 6" Self Nailer | 16 | 50 | 18 |
| PS816-3.5-SN | 3-1/2" X 8" Self Nailer | 16 | 50 | 24 |
| PS5416 | 5" X 4" | 16 | 50 | 17 |
| PS5416-SN | 5" X 4" Self Nailer | 16 | 50 | 17 |
| PS5516-SN | 5" X 5" Self Nailer | 16 | 50 | 21 |
| PS5816 | 5" X 8" | 16 | 50 | 35 |
| PS5816-SN | 5" X 8" Self Nailer | 16 | 50 | 35 |
| PS6816 | 6" X 8" | 16 | 50 | 40 |
| PS1216-6 (6 or 8 HOLE) | 6" X 12" | 16 | 25 | 30 |
| PS1816-3.5-2 HOLE | 3-1/2" X 18" | 16 | 25 | 28 |
| PS1816-5 (6 or 8 HOLE) | 5" X 18" | 16 | 25 | 41 |
| PS1816-6 (6 or 8 HOLE) | 6" X 18" | 16 | 25 | 47 |
| PS2416-6 (6 or 8 HOLE) | 6" X 24" | 16 | 25 | 62 |



For More Information, Call 1-800-345-2069

Metal Products Company

(541) 747-6435 ~ 1 (800) 345-2069 ~ Fax: (541) 747-6641

1652 N. 32nd ~ P.O. Box 703 ~ Springfield, Oregon 97477



www.metalproducts.com



Wire and Pipe Protection, cont.

Plate Straps Available with 4,6 or 8 holes on each end.

| Catalog # | Description | GA | Case Qty. | Case Wt. |
|-------------------------|--------------|----|-----------|----------|
| 12 GAUGE | | | | |
| PS0612 | 1 1/2" x 6" | 12 | 100 | 20 |
| PS0912 | 1 1/2" x 9" | 12 | 50 | 14 |
| PS1212 | 1 1/2" x 12" | 12 | 50 | 21 |
| PS1812 | 1 1/2" x 18" | 12 | 50 | 28 |
| PS2412 | 1 1/2" x 24" | 12 | 50 | 42 |
| PS0612-3 | 3" x 6" | 12 | 100 | 32 |
| PS0912-3 | 3" x 9" | 12 | 25 | 14 |
| PS1212-3 | 3" x 12" | 12 | 25 | 20 |
| PS1812-3 | 3" x 18" | 12 | 25 | 28 |
| PS2412-3 | 3" x 24" | 12 | 25 | 40 |
| 16 GAUGE | | | | |
| PS0616 (1, 2 or 3 Hole) | 1 1/2" x 6" | 16 | 100 | 14 |
| PS0916 | 1 1/2" x 9" | 16 | 100 | 21 |
| PS1216 | 1 1/2" x 12" | 16 | 100 | 27 |
| PS1816 | 1 1/2" x 18" | 16 | 100 | 42 |
| PS2416 | 1 1/2" x 24" | 16 | 100 | 54 |
| PS3616 | 1 1/2" x 36" | 16 | 25 | 22 |
| PS0616-3 | 3" x 6" | 16 | 100 | 28 |
| PS0916-3 | 3" x 9" | 16 | 50 | 21 |
| PS1216-3 | 3" x 12" | 16 | 50 | 27 |
| PS1816-3 | 3" x 18" | 16 | 50 | 42 |
| PS2416-3 | 3" x 24" | 16 | 50 | 56 |
| PS3616-3 | 3" x 36" | 16 | 25 | 43 |
| 18 GAUGE | | | | |
| PS0318 | 1 1/2" x 3" | 18 | 100 | 5 |
| PS0618 | 1 1/2" x 6" | 18 | 100 | 11 |
| PS0918 | 1 1/2" x 9" | 18 | 100 | 16 |
| PS1218 | 1 1/2" x 12" | 18 | 100 | 21 |
| PS1818 | 1 1/2" x 18" | 18 | 100 | 32 |
| PS2418 | 1 1/2" x 24" | 18 | 100 | 42 |
| PS0618-3 | 3" x 6" | 18 | 100 | 24 |
| PS0918-3 | 3" x 9" | 18 | 50 | 24 |
| PS1218-3 | 3" x 12" | 18 | 50 | 20 |
| PS1818-3 | 3" x 18" | 18 | 50 | 30 |
| PS2418-3 | 3" x 24" | 18 | 50 | 40 |



For More Information, Call 1-800-345-2069

Metal Products Company

(541) 747-6435 ~ 1 (800) 345-2069 ~ Fax: (541) 747-6641

1652 N. 32nd ~ P.O. Box 703 ~ Springfield, Oregon 97477


www.metalproducts.com



Conduit Hanging

Plumbers Tape

| Catalog # | Description | GA | Case Qty. Per Ft. | Case Wt. |
|--|--|----|----------------------|-------------|
| Galvanized with alternating nail and bolt holes. <i>All bolt holes available.</i> | | | | |
| PT28### | 3/4" Available in 10', 50', & 100' rolls | 28 | 1000' | 30 |
| PT26### | 3/4" Available in 10', 50', & 100' rolls | 26 | 1000' | 30 |
| PT24### | 3/4" Available in 10', 50', & 100' rolls | 26 | 1000' | 47 |
| PT22### | 3/4" Available in 10', 50', & 100' rolls | 28 | 1000' | 55 |
| PT20### | 3/4" Available in 10', 50', & 100' rolls | 26 | 1000' | 70 |
| Copper Clad with alternating nail and bolt holes. | | | | |
| PT24###-CC | 3/4" Available in 10', 50', & 100' rolls | 24 | 1000' | 47 |
| PT20###-CC | 3/4" Available in 10', 50', & 100' rolls | 20 | 1000' | 70 |
| Earthquake Strap | | | | |
| PT16010 | 7/8" Available in 10' strips only | 16 | 250' | 38 |



J-Hooks

| Catalog # | Description | Gauge | Inside Box | Case Qty. | Case |
|-------------------|-----------------|-------|------------|-----------|------|
| Galvanized | | | | | |
| 12GAJN | 1/2" Galvanized | 12 | 100 | 1,000 | 17 |
| 34GAJN | 3/4" Galvanized | 12 | 100 | 1,000 | 21 |
| 1GAJN | 1" Galvanized | 12 | 100 | 1,000 | 27 |




For More Information, Call 1-800-345-2069

Metal Products Company

(541) 747-6435 ~ 1 (800) 345-2069 ~ Fax: (541) 747-6641

1652 N. 32nd ~ P.O. Box 703 ~ Springfield, Oregon 97477

www.metalproducts.com



Two Hole Pipe Straps

| Catalog # | Description | A | B | C | D | E | F | G | Case Quantity | Case Wt |
|---|-----------------------|-------|--------|-------|-------|-------|-------|-------|---------------|---------|
| Galvanized | | | | | | | | | | |
| For E.M.T. Thin Wall (Conduit) | | | | | | | | | | |
| EMT050 | 1/2" EMT | 0.625 | 2.140 | 1.600 | 0.706 | 0.750 | 22 GA | 0.187 | 250 | 3.5 |
| EMT075 | 3/4" EMT | 0.625 | 2.288 | 1.715 | 0.922 | 1.015 | 22 GA | 0.187 | 200 | 3.3 |
| EMT100 | 1" EMT | 0.750 | 2.750 | 2.140 | 1.163 | 1.235 | 20 GA | 0.250 | 100 | 2.7 |
| EMT125 | 1 1/4" EMT | 0.750 | 3.520 | 2.750 | 1.510 | 1.540 | 20 GA | 0.250 | 50 | 1.8 |
| EMT150 | 1 1/2" EMT | 0.750 | 3.770 | 3.141 | 1.740 | 1.785 | 20 GA | 0.250 | 50 | 2.3 |
| EMT200 | 2" EMT | 0.750 | 4.453 | 3.812 | 2.147 | 2.270 | 20 GA | 0.250 | 25 | 1.5 |
| For RIGID Conduit and Plastic Pipe | | | | | | | | | | |
| RPS025 | 1/4" RIGID | 0.625 | 1.875 | 1.385 | 0.480 | 0.540 | 22 GA | 0.187 | 250 | 4.4 |
| RPS038 | 3/8" RIGID | 0.625 | 2.270 | 1.660 | 0.630 | 0.700 | 22 GA | 0.187 | 250 | 5.6 |
| RPS050 | 1/2" RIGID | 0.625 | 2.270 | 1.765 | 0.840 | 0.870 | 22 GA | 0.187 | 250 | 6.0 |
| RPS075 | 3/4" RIGID | 0.625 | 2.355 | 1.850 | 1.050 | 1.130 | 22 GA | 0.187 | 150 | 1.9 |
| RPS100 | 1" RIGID | 0.750 | 2.940 | 2.315 | 1.315 | 1.370 | 20 GA | 0.250 | 100 | 4.7 |
| RPS125 | 1 1/4" RIGID | 0.750 | 3.672 | 2.925 | 1.660 | 1.725 | 20 GA | 0.250 | 50 | 2.9 |
| RPS150 | 1 1/2" RIGID | 0.750 | 3.922 | 3.165 | 1.890 | 1.940 | 20 GA | 0.250 | 50 | 3.2 |
| RPS200 | 2" RIGID | 0.750 | 5.015 | 4.188 | 2.375 | 2.410 | 18 GA | 0.270 | 25 | 2.5 |
| RPS200-H | 2" RIGID (Heavy Duty) | 1.000 | 5.040 | 4.250 | 2.335 | 2.410 | 18 GA | 0.270 | 25 | 2.7 |
| Not Snap On | | | | | | | | | | |
| RPS250 | 2 1/2" RIGID | 1.000 | 5.720 | 4.688 | 2.875 | 3.050 | 16 GA | 0.312 | 25 | 4.0 |
| RPS300 | 3" RIGID | 1.000 | 6.578 | 5.515 | 3.500 | 3.670 | 16 GA | 0.312 | 20 | 3.9 |
| RPS350 | 3 1/2" RIGID | 1.000 | 7.156 | 6.125 | 4.000 | 3.975 | 16 GA | 0.312 | 15 | 3.3 |
| RPS400 | 4" RIGID | 1.000 | 7.718 | 6.718 | 4.500 | 4.700 | 16 GA | 0.312 | 10 | 2.4 |
| RPS600 | 6" RIGID | 1.000 | 10.250 | 9.250 | 6.715 | 6.775 | 16 GA | 0.312 | 20 | 6.3 |
| Copper Clad | | | | | | | | | | |
| For RIGID Copper Pipe | | | | | | | | | | |
| CCPS025 | 1/4" RIGID | 0.500 | 1.635 | 1.100 | 0.380 | 0.410 | 24 GA | 0.187 | 500 | 2.5 |
| CCPS038 | 3/8" RIGID | 0.500 | 1.835 | 1.315 | 0.500 | 0.520 | 24 GA | 0.187 | 500 | 2.9 |
| CCPS050 | 1/2" RIGID | 0.500 | 1.775 | 1.270 | 0.645 | 0.630 | 24 GA | 0.187 | 250 | 1.5 |
| CCPS075 | 3/4" RIGID | 0.500 | 2.125 | 1.600 | 0.920 | 0.905 | 24 GA | 0.187 | 150 | 3.0 |
| CCPS100 | 1" RIGID | 0.750 | 2.895 | 2.185 | 1.140 | 1.145 | 22 GA | 0.187 | 100 | 2.7 |
| CCPS125 | 1 1/4" RIGID | 0.750 | 3.400 | 2.635 | 1.400 | 1.385 | 22 GA | 0.285 | 50 | 1.8 |
| CCPS150 | 1 1/2" RIGID | 0.750 | 4.160 | 3.105 | 1.675 | 1.640 | 22 GA | 0.285 | 50 | 2.3 |
| CCPS200 | 2" RIGID | 0.750 | 4.580 | 3.590 | 2.155 | 2.155 | 22 GA | 0.285 | 25 | 1.5 |


For More Information, Call 1-800-345-2069

Metal Products Company

(541) 747-6435 ~ 1 (800) 345-2069 ~ Fax: (541) 747-6641

1652 N. 32nd ~ P.O. Box 703 ~ Springfield, Oregon 97477

www.metalproducts.com



One Hole Pipe Straps

| | | Dimension Chart | | | | Packaging Information | | |
|---|---------------|-----------------|-------|-------|-------|-----------------------|-----------|----------|
| Catalog # | Description | A | B | C | Gauge | Inside Box | Case Qty. | Case Wt. |
| Galvanized | | | | | | | | |
| For E.M.T. Thin Wall | | | | | | | | |
| EOH038 | 3/8" BX Cable | 1.165 | 0.880 | 0.625 | 18 | 100 | 1,000 | 16 |
| EOH050 | 1/2" EMT | 1.360 | 0.985 | 0.625 | 16 | 100 | 1,000 | 25 |
| EOH075 | 3/4" EMT | 1.425 | 1.010 | 0.625 | 16 | 100 | 1,000 | 32 |
| EOH100 | 1" EMT | 1.545 | 1.290 | 0.750 | 14 | 50 | 500 | 27 |
| EOH125 | 1-1/4" EMT | 1.805 | 1.355 | 0.875 | 14 | 25 | 250 | 45 |
| EOH150 | 1-1/2" EMT | 2.440 | 1.814 | 0.875 | 13 | 25 | 250 | 66 |
| EOH200 | 2" EMT | 2.859 | 2.109 | 0.875 | 12 | 25 | 250 | 47 |
| For RIGID Conduit and Plastic Pipe | | | | | | | | |
| ROH050 | 1/2" RIGID | 1.281 | 0.890 | 0.570 | 14 | 100 | 1,000 | 35 |
| ROH075 | 3/4" RIGID | 1.406 | 1.015 | 0.570 | 14 | 100 | 1,000 | 43 |
| ROH100 | 1" RIGID | 1.562 | 1.156 | 0.570 | 14 | 50 | 500 | 30 |
| ROH125 | 1-1/4" RIGID | 1.318 | 1.114 | 0.875 | 12 | N/A | 25 | 2 |
| ROH150 | 1-1/2" RIGID | 1.710 | 1.600 | 0.875 | 12 | N/A | 25 | 2 |
| ROH200 | 2" RIGID | 2.056 | 1.542 | 0.875 | 12 | N/A | 25 | 3 |

For More Information, Call 1-800-345-2069

Metal Products Company

(541) 747-6435 ~ 1 (800) 345-2069 ~ Fax: (541) 747-6641

1652 N. 32nd ~ P.O. Box 703 ~ Springfield, Oregon 97477

www.metalproducts.com





U-Bolts

| Catalog # | Description | Conduit Size | Case Qty. | Case Wt. |
|-----------------------------|--------------|--------------|-----------|----------|
| 5/16" Diameter Stock | | | | |
| 5U | 2-3/8" X 5" | 2" Rigid | 50 | 13 |
| 7U | 2-3/8" X 7" | 2" Rigid | 50 | 16 |
| 9U | 2-3/8" X 9" | 2" Rigid | 50 | 19 |
| 11U | 2-3/8" X 11" | 2" Rigid | 50 | 22 |



Mast Guy Kits

| Catalog # | Description | Case Qty. | Case Wt. |
|-----------|-----------------------|-----------|----------|
| MK-2 | Kit for 2" Mast | 10 | 10 |
| MKR-2 | Rigid Kit for 2" Mast | 10 | 10 |
| MK-3 | Kit for 3" Mast | 10 | 10 |
| MKR-3 | Rigid Kit for 3" Mast | 10 | 10 |



Flex Collars

| Catalog # | Description | Size | GA | Case Qty. | Case Wt. |
|-----------|-------------|-------------|----|-----------|----------|
| YMF2 | 11" x 14" | 1 1/2" - 2" | 26 | 18 | 13.5 |
| YMF4 | 12" x 16" | 2 1/2" - 4" | 26 | 8 | 8 |



For More Information, Call 1-800-345-2069

Metal Products Company

(541) 747-6435 ~ 1 (800) 345-2069 ~ Fax: (541) 747-6641

1652 N. 32nd ~ P.O. Box 703 ~ Springfield, Oregon 97477


www.metalproducts.com



Insulators

Plate Insulators


| Catalog # | Description | Case Qty. | Case Wt. |
|-----------|---------------------------|-----------|----------|
| 325 | Plate Wire Holder | 15 | 45 |
| 325-S | Plate Wire Holders/Swivel | 15 | 45 |
| 315 | Plate Wire Holder | 25 | 51 |
| 315-S | Plate Wire Holder/Swivel | 25 | 51 |
| 95 | Triplex Anchor | 20 | 41 |



- Hot Dipped Galvanized.
- Base plates are 3/16 thick X 3" wide. #95, #315, & #315-S are 8" long with square holes for 3/8" carriage or lag bolts.
- #325 & #325-S bases are 12" long and have four 5/16" X 3" lag bolts included.

Spool Racks

| Catalog # | Description | Case Qty. | Case Wt. |
|-----------|---------------------|-----------|----------|
| 45 | Medium Duty 2 Spool | 1 | 3 |
| 55 | Medium Duty 3 Spool | 1 | 4 |
| 65 | Medium Duty 4 Spool | 1 | 5 |



- Hot Dipped Galvanized.
- Bases are made of 1/2" X 1-1/4" channel iron.
- Spools are spaced at 6-1/2" O.C.

For More Information, Call 1-800-345-2069

Metal Products Company

(541) 747-6435 ~ 1 (800) 345-2069 ~ Fax: (541) 747-6641

1652 N. 32nd ~ P.O. Box 703 ~ Springfield, Oregon 97477

www.metalproducts.com



Insulators, cont.

Clamp-On Insulators

| Catalog # | Fits RIGID Conduit Size | Case Qty. | Case Wt. |
|---------------------------|-------------------------|-----------|----------|
| Electro Galvanized | | | |
| 200N | 1-1/4" thru 2" | 50 | 50 |
| 2000 | 1-1/4" thru 3" | 25 | 31 |
| Hot Dip Galvanized | | | |
| 300-H | 1-1/4" thru 2" | 50 | 53 |
| 3000-H | 1-1/4" thru 3" | 25 | 34 |
| O35 | 3-1/2" | 20 | 30 |
| OO4 | 4" | 20 | 34 |



Clevis Insulators

| Catalog # | Description | Case Qty. | Case Wt. |
|-----------|--|-----------|----------|
| 355 | Light Duty 2-1/4" Clevis of 1/8" X 1" Steel. Accepts 3/8" Bolts with 2-1/4" Spool. | 25 | 24 |
| 365 | Medium Duty 4-1/4" Clevis of 3/16" X 1-1/2" Steel. Accepts 5/8" Bolts with 2-1/4" Spool. | 25 | 36 |
| 375 | Heavy Duty 5-1/4" Clevis of 3/16" X 1-1/2" Steel. Accepts 5/8" Bolts with 3" Spool. | 20 | 53 |



For More Information, Call 1-800-345-2069

Metal Products Company

(541) 747-6435 ~ 1 (800) 345-2069 ~ Fax: (541) 747-6641


1652 N. 32nd ~ P.O. Box 703 ~ Springfield, Oregon 97477

www.metalproducts.com



Ceiling Cover Plate-Adjustable

| Catalog # | Description | Case Qty. |
|-----------|-----------------|-----------|
| CCP-12 | 5" White Canopy | 12 |
| CCP-50 | 5" White Canopy | 50 |
| CCP-100 | 5" White Canopy | 100 |



- Includes canopy, adjustable strap, and flat head slotted machine screw.
- White color blends with most installations.
- Adjust to fit 3" & 4" outlet boxes.
- Can be used for temporary or permanent applications.

For More Information, Call 1-800-345-2069